

Phone: (07) 4927 9150

Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au

6 Dooley Street North Rockhampton Qld 4701



175 HP Pro XS

POA







Boat Engines and Outboards

Specifications

Boat Details

PricePOABoat BrandMercuryModel175 HP Pro XSLength0.00


Year 2021 Category Hull Style Hull Type

Power Type Stock Number C

ConditionNewStateQueenslandSuburbNORTH ROCKHAMPTONEngine MakeMercury

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au

6 Dooley Street North Rockhampton Qld 4701



Description

The 175hp Pro XS provides hard-charging performance to put you out front and keep you there. Pro XS is the choice of tournament anglers and performance enthusiasts who don't like coming second. The Mercury V-6 Pro XS transforms every drop of fuel into performance delivering class leading fuel economy at cruising speed and wide-open throttle. Advanced Range Optimisation (ARO) utilises closed-loop fuel control to precisely adjust the fuel mixture and deliver the best possible efficiency. All Pro XS FourStroke models now come with a 3+3=6 Year factory warranty.ENGINE DETAILS

Engineers packed incredible power into this lightweight and compact outboard. Great for bass and multi-species fishing boats.SPECIFICATIONS - 175

HP / kW

• 175 / 130

Engine type

• V-6

MidSection

Conventional MidSection

Displacement (CID/CC)

• 209

Displacement (L)

• 3.4

Cylinder Configuration

• V-6 [64 degree] with Dual Overhead Cam [DOHC] and 24-valves

Full throttle RPM

• 5400-6000

Air induction

• Performance-Tuned Long-Runner Intake Manifold

Fuel induction system

• Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

Alternator amp / Watt

• 85-amp (1071 Watt) with Idle Charge

Recommended fuel


Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

• NMMA Certified FCW SAE 10W-30

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au

6 Dooley Street North Rockhampton Qld 4701



Engine protection operator warning system

• SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

• Yes

Starting

• Electric Start with SmartStart Protection

Controls

Remote Mechanical

Steering

- Big Tiller (optional)
- Hydraulic (standard)
- Power (optional)

Shaft length

- 20" / 508 mm
- 25" / 635 mm

Gearcase ratio

• 1.85:1

Dry weight *Lightest model available

• 470 lbs / 213 kgs

CARB star rating

• 3

Bore and stroke

• 3.6 in x 3.4 in / 92 mm x 86 mm

Ignition

• SmartCraft PCM 112 Digital Inductive

Cooling system

• Water-cooled with thermostat

Gear shift

• F-N-R

Gearcase options

• 4.8"

Trim system

• Power trim and tilt

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (07) 4927 9150

Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au

6 Dooley Street North Rockhampton Qld 4701

Exhaust system

Through prop

Color

• Phantom Black

Lubrication system

• Integrated wet sump

Oil Capacity

• 7.0 Quarts / 6.6 Liters

Maximum Trim Range

• 20° (-6° to 14°)

Maximum Tilt Range

• 73° (-6° to 67°)

Engine Details

Engine Make Mercury
Displacement 3.4
Horse Power 175

Steering Big Tiller (optional), Hydraulic (standard), Power (optional)

Disclaimer