

Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au







# 300 HP Fourstroke

POA

## **Specifications**

## **Boat Details**

POA **Price Boat Brand** Mercury 300 HP Model Length 0.00

2021 Boat Engines and Outboards Year Category

Hull Style **Hull Type** 


Stock Number

Condition State Queensland New Suburb NORTH ROCKHAMPTON **Engine Make** Mercury

## Disclaimer

**Power Type** 

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.





Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au

6 Dooley Street North Rockhampton Qld 4701

## **Description**

The new Mercury 300hp FourStroke is precision engineered from skeg to cowl. Packed with advanced technology to improve all aspects of performance and reliability. the Robust 4.6 Litre V-8 engine is designed to minimise weight and maximise fuel economy. Delivering Mercury's best ever FourStroke hole shot, top speed and fuel efficiency. The 300hp FourStroke now comes with a 3+3=6 Year factory warranty. ENGINE DETAILS

These robust motors deliver Mercury's best-ever FourStroke hole shot, top speed and fuel efficiency. Great for aluminum fishing, deck, inflatable rigid hull, inshore fishing, offshore fishing and runabouts and tritoons. SPECIFICATIONS - 300

HP / kW

• 300 / 224

#### Engine type

• V-8

#### MidSection

Conventional MidSection

#### Displacement (CID/CC)

• 279 CID

### Displacement (L)

• 4.6L

## Cylinder Configuration

• V-8 [64 degree] with Dual Overhead Cam [DOHC] and 32-valves

#### Full throttle RPM

• 5200-6000

#### Air induction

• Performance-Tuned Long-Runner Intake Manifold

### Fuel induction system

• Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization

#### Alternator amp / Watt

• 85-amp (1071 Watt) with Idle Charge

#### Recommended fuel


• Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

#### Recommended oil

• NMMA Certified FCW SAE 10W-30

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au

6 Dooley Street North Rockhampton Qld 4701



## Engine protection operator warning system

• SmartCraft Engine Guardian

## Compatible with SmartCraft digital technology

Yes

## Starting

• Electric Start with SmartStart Protection

#### Controls

• Remote Mechanical or Digital Throttle & Shift (DTS)

#### Steering

- Hydraulic (standard)
- Power (optional)

#### Shaft length

- 20" / 508 mm
- 25" / 635 mm

#### Gearcase ratio

• 1.75:1

## Dry weight \*Lightest model available

• 527 lbs / 239 kgs

#### CARB star rating

• 3

#### Bore and stroke

• 3.6 in x 3.4 in / 92 mm x 86 mm

#### Ignition

• SmartCraft PCM 112 Digital Inductive

## Cooling system

· Water-cooled with thermostat

## Gear shift

• F-N-R

#### Gearcase options

• 5.44"

## Trim system

• Power trim and tilt

#### Exhaust system

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (07) 4927 9150

Email: rifen.boats@bigpond.com

Website: www.rifenmarine.com.au

6 Dooley Street North Rockhampton Qld 4701

Through prop

#### **Counter Rotation**

Available

#### Color

- Cold Fusion White
- Pearl Fusion White
- Phantom Black
- Warm Fusion White

## Lubrication system

• Integrated wet sump

## Oil Capacity

• 7.0 Quarts / 6.6 Liters

## Maximum Trim Range

• 20° (-6° to 14°)

#### Maximum Tilt Range

• 73° (-6° to 67°)

## **Engine Details**

Engine Make Mercury
Displacement 4.6
Horse Power 300

Fuel Type Steering Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum Hydraulic (standard) Power (optional)

#### Disclaimer